

References

- Adams, W.J., R.A. Kimerle, and R.G. Mosher. 1985. Aquatic safety assessment of chemicals sorbed to sediments. In *Aquatic toxicology and hazard assessment: Seventh annual symposium*, American Society for Testing and Materials, Philadelphia, PA, ed. R.D. Cardwell, R. Purdy, and R.C. Bahner, pp. 429-453.
- Adams, W.J., R.A. Kimerle, and J.W. Barnett, Jr. 1992. Sediment quality and aquatic life. *Environ. Sci. Technol.* 26:1865-1875.
- Allen, H.E., G. Fu, and B. Deng. 1993. Analysis of acid-volatile sulfide (AVS) and simultaneously extracted metals (SEM) for the estimation of potential toxicity in aquatic sediments. *Environ. Toxicol. Chem.* 12:1441-1453.
- Ankley, G.T., G.L. Phipps, E.N. Leonard, D.A. Benoit, V. R. Mattson, P.A. Kosian, A.M. Cotter, J.R. Dierkes, D.J. Hansen, and J.D. Mahony. 1991. Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. *Environ. Toxicol. Chem.* 10(10):1299-1308.
- Barrick, R., S. Becker, L. Brown, H. Beller, and R. Pastorok. 1988. *Sediment quality values refinement: 1988 update and evaluation of Puget Sound AET*. Vol. 1. Prepared for the Puget Sound Estuary Program, Office of Puget Sound.
- Bishop, C.A., R.J. Brooks, J.H. Carey, P. Ng, R.J. Norstrom, and D.R.S. Lean. 1991. The case for a cause-effect linkage between environmental contamination and development in eggs of the common snapping turtle (*Chelydra s. serpentina*) from Ontario, Canada. *J. Toxicol. Environ. Health* 33:521-547.
- Bishop, C.A., M.D. Koster, A.A. Chek, D.J.T. Hussell, and K. Jock. 1995. Chlorinated hydrocarbons and mercury in sediments, red-winged blackbirds (*Agelaius Phoeniceus*), and tree swallows (*Tachycineta bicolor*) from wetlands in the Great Lakes–St. Lawrence River Basin. *Environ. Toxicol. Chem.* 14:491-501.
- Bishop, C.A., P. Ng, K.E. Pettit, S.W. Kennedy, J.J. Stegeman, R.J. Norstrom, and R.J. Brooks. 1998. Environmental contamination and development abnormalities in eggs and hatchlings of the common snapping turtle (*Chelydra serpentina serpentina*) from the Great Lakes–St. Lawrence River Basin (1989-91). *Environ. Poll.* 101:143-156.
- Bishop, C.A., N.A. Mahony, S. Trudeau, and K.E. Pettit. 1999. Reproductive success and biochemical effects in tree swallows (*Tachycineta bicolor*) exposed to chlorinated hydrocarbon contaminants in wetlands of the Great Lakes and St. Lawrence River Basin, USA and Canada. *Environ. Toxicol. Chem.* 18:263-271.
- Berry, W.J., M.G. Cantwell, P.A. Edwards, J.R. Serbst, and D.J. Hansen. 1999. Predicting toxicity of sediments spiked with silver. *Environ. Toxicol. Chem.* 18(1):40-48.
- Bondelid, T.R., and S.A. Hansen. 1990. Technical description of the Reach File. Prepared for the U.S. Environmental Protection Agency, Assessment and Watershed Protection Division, Washington, DC.
- Bonin, J., J.L. DesGranges, C.A. Bishop, J. Rodrigue, and A. Gendron. 1995. Comparative study of contaminants in the mudpuppy (Amphibia) and the common snapping turtle (Reptilia), St. Lawrence River, Canada. *Arch. Environ. Contam. Toxicol.* 28:184-194.

- Bopp R.F., S.N. Chillrud, E.L.Shuster, H.J.Simpson, and F.D. Estabrooks. 1998. Trends in chlorinated hydrocarbon levels in Hudson River basin sediments. *Environmental Health Perspectives* 106(4):1075-1081.
- Burton, G.A., 1991. Assessment of freshwater sediment toxicity. *Environ. Toxicol. Chem.* 10:1585-1627.
- Burton, G.A., Jr. 1992. Sediment collection and processing factors affecting realism, In *Sediment Toxicity Assessment*, ed. G.A. Burton, Jr., pp. 37-66. Lewis Publishers, Boca Raton, FL.
- Burton, G.A., Jr., and K.J. Scott. 1992. Sediment toxicity evaluations: Their niche in ecological assessments. *Environ. Sci. Tech.* 26:2068.
- Burton, G.A., C.G. Ingersoll, L.C. Burnett, M. Henry, M.L. Hinman, S.J. Klaine, P.F. Landrum, P. Ross, and M. Tuchman. 1996. A comparison of sediment toxicity test methods at three Great Lakes Areas of Concern. *J. Great Lakes Res.* 22:495-511.
- Callender, E., and P.C. Van Metre. 1997. Reservoir sediment cores show U.S. lead declines. *Environ. Sci. Technol.* 31(9):424A-428A.
- Carlson A.R., G.L. Phipps, V.R. Mattson, P.A. Kosian, and A.M. Cotter. 1991. The role of acid volatile sulfide in determining cadmium bioavailability and toxicity in freshwater systems. *Environ. Toxicol. Chem.* 10(10):1309-1319.
- Chapman, P.M. 1989. Current approaches to developing sediment quality criteria. *Environ. Toxicol. Chem.* 8:589-599.
- Clarke, J.U., and V.A. McFarland. 1991. Assessing bioaccumulation in aquatic organisms exposed to contaminated sediments. Long-Term Effects of Dredging Operations Program, misc. pap. D-91-2. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- Di Toro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, M.B. Hicks, S.M. Mays, and M.S. Redmond. 1990. Toxicity of cadmium in sediments: The role of acid-volatile sulfide. *Environ. Toxicol. Chem.* 9:1487-1502.
- Di Toro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, A.R. Carlson, and G.T. Ankley. 1992. Acid-volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. *Environ. Sci. Technol.* 26(1):96-101.
- Di Toro, D.M., and J.A. McGrath. 2000. Technical basis for narcotic chemicals and polycyclic aromatic hydrocarbon criteria. II. Mixtures and sediments. *Environ. Toxicol. Chem.* 19(8):1971-1982.
- Eisenreich, S.J., P.D. Capel, J.A. Robbins, and R. Buobonniere. 1989. Accumulation and diagenesis of chlorinated hydrocarbons in lacustrine sediments. *Environ. Sci. Technol.* 23:1116-1126.
- FDEP. 1994. *Approach to the assessment of sediment quality in Florida coastal water*. Vol 1. *Development and evaluation of sediment quality assessment guidelines*. Prepared for Florida Department of Environmental Protection, Office of Water Policy, Tallahassee, FL, by MacDonald Environmental Sciences Ltd., Ladysmith, British Columbia.

- Field, L.J., D.M. Macdonald, S.B. Norton, C.G. Severn, and C.G. Ingersoll. 1999. Evaluating sediment chemistry and toxicity data using logistic regression modeling. *Environ. Toxicol. Chem.* 18(6):1311-1322.
- Field, L.J., D.M. Macdonald, S.B. Norton, C.G. Severn, C.G. Ingersoll, D. Smorong, and R. Linkskoog. 2001. *Environ. Toxicol. Chem.* (In press)
- Gendron, A.D., C.A. Bishop, R. Fortin, and A. Hontela. 1997. In vitro testing of the functional integrity of the corticosterone-producing axis in mudpuppy (Amphibia) exposed to chlorinated hydrocarbons in the wild. *Environ. Toxicol. Chem.* 16:1694-1706.
- Griffiths, R.P. 1983. The importance of measuring microbial enzymatic functions while assessing and predicting long-term anthropogenic perturbations. *Mar. Pollut. Bull.* 14:162.
- Gubala C.P., D.R. Engstrom, J.R. White. 1990. Effects of iron cycling on ^{210}Pb dating of sediments in an adirondack lake, USA. *Canadian Journal of Fisheries and Aquatic Science* 47:1821-1829.
- Hansen, D.J. 1995. Assessment tools that can be used for the National Sediment Inventory. Memorandum from D.J. Hansen, Environmental Research Laboratory, Narragansett, to C. Fox, U.S. Environmental Protection Agency, Office of Water, February 28, 1995.
- Hansen, D.J., W.J. Berry, J.D. Mahony, W.S. Boothman, D.M. Di Toro, D.L. Robson, G.T. Ankley, D. Ma, Q. Yan, and C.E. Pesch. 1996a. Predicting the toxicity of metal-contaminated field sediments using interstitial concentration of metals and acid-volatile sulfide normalizations. *Environ. Toxicol. Chem.* 15(12):2080-2094.
- Hansen, D.J., J.D. Mahony, W.J. Berry, S.J. Benyi, J.M. Corbin, S.D. Pratt, D.M. Di Toro and M.B. Abel. 1996b. Chronic effect of cadmium in sediments on colonization by benthic marine organisms: An evaluation of the role of interstitial cadmium and acid-volatile sulfide in biological availability. *Environ. Toxicol. Chem.* 15(12):2126-2137.
- Hermanson, M.H. 1991. Chronology and Sources of Anthropogenic Trace Metals in sediments from small, shallow arctic lakes. *Environmental Science and Technology* 25(12):2059-2064.
- Hites, R.A., R.E. LaFlamme, J.G. Windsor, Jr., J.W. Farrington, and W.G. Deuser. 1981. Polycyclic aromatic hydrocarbons in an anoxic sediment core from the Pettaquamscutt River (Rhode Island, U.S.A.) *Geochim. Cosmochim. Acta* 44:873.
- Howard, D.E., and R.D. Evans. 1993. Acid-volatile sulfide (AVS) in a seasonally anoxic mesotrophic lake: Seasonal and spatial changes in sediment AVS. *Environ. Toxicol. Chem.* 12:1051-1057.
- Ingersoll, C.G., P.S. Haverland, E.L. Brunson, T.J. Canfield, F.J. Dwyer, C.E. Henke, and N.E. Kemble. 1996. Calculation and evaluation of sediment effect concentrations for the amphipod *Hyaella azteca* and the midge *Chironomus riparius*. *J. Great Lakes Res.* 22:602-623.
- Ingersoll, C.G., T. Dillon, and R.G. Biddinger, eds. 1997. Methodological uncertainty in sediment ecological risk assessment. In *Ecological risk assessments of contaminated sediment*. SETAC Press, Pensacola, FL.
- Ingersoll, C.G., D.D. MacDonald, N. Wang, J.L. Crane, L.J. Field, P.S. Haverland, N.E. Kemble, R.A. Linkskoog, C. Severn, and D.E. Smorong. 2000. Prediction of sediment toxicity using consensus-based freshwater sediment quality guidelines. *Arch. Environ. Contam. Toxicol.* 41:8-21.

- Ireland, D.S., G.A. Burton, and G.G. Hess. 1996. *In situ* toxicity evaluations of turbidity and photoinduction of polycyclic aromatic hydrocarbons. *Environ. Toxicol. Chem.*, 15:574-581.
- Long, E.R., and P.M. Chapman. 1985. A sediment quality triad: Measures of sediment contamination, toxicity and infaunal community composition in Puget Sound, *Mar. Pollut. Bull.*, 16, 405.
- Long, E.R., and L.G. Morgan. 1990. *The potential for biological effects of sediment sorbed contaminants tested in the National Status and Trends Program*. NOAA tech. memo. NOA OMA 52. National Oceanic and Atmospheric Administration, Seattle, WA.
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environ. Manage.* 19(1):81-97.
- Long, E.R. 2000. Spatial extent of sediment toxicity in U.S. estuaries and marine bays. *Environ. Mon. Assess.* 64:391-407.
- Luoma, S.N. 1983. Bioavailability of trace metals to aquatic organisms—A review. *Sci. Tot. Environ.* 28:1-22.
- Lyman, W.J., A.E. Glazer, J.H. Ong, and S.F. Coons. 1987. *An overview of sediment quality in the United States*. Prepared for U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC.
- Mancini, J.L., and A.H. Plummer, Jr. 1994. A review of EPA sediment criteria. Proceedings of the Water Environment Federation, 67th Annual Conference and Exposition, October 15-19, Chicago, IL. In *Surface quality ecology*, Vol. 4, pp. 681-694.
- MacDonald, D.D., R.S. Carr, F.D. Calder, E.R. Long, and C.G. Ingersoll. 1996. Development and evaluation of sediment quality guidelines for Florida coastal waters. *Ecotoxicology* 5:253-278.
- McDonald, D.D., C.G. Ingersoll, and T.A. Berger. 2000. Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Arch. Environ. Contam. Toxicol.* 39:20-31.
- Meyer, J.S., W. Davison, B. Sundby, J.T. Ores, D.J. Lauren, U. Forstner, J. Hong, and D.G. Crosby. 1994. Synopsis of discussion session: The effects of variable redox potentials, pH, and light on bioavailability in dynamic water-sediment environments. In *Bioavailability physical, chemical, and biological interactions*, proceedings of the 13th Pellston Workshop, ed. J.L. Hamelink, P.F. Landrum, H.L. Bergman, and W.H. Benson, pp. 155-170. Lewis Publishers, Boca Raton, FL.
- National Research Council. 1997. *Contaminated sediments in ports and waterways: Cleanup strategies and technologies*. National Academy Press, Washington, DC.
- National Research Council. 2001. *A risk-management strategy for PCB-contaminated sediments*. National Academy Press, Washington, DC.
- NOAA. 1994. *Inventory of chemical concentrations in coastal and estuarine sediments*. NOAA tech. mem. NOS ORCA 76. National Oceanic and Atmospheric Administration, National Ocean Service, Silver Spring, MD.

Power, E.A., and P.M. Chapman. 1992. Assessing sediment quality. In *Sediment toxicity assessment*, ed. G.A. Burton, Jr. Lewis Publishers, Ann Arbor, MI.

Rand, G.M. 1995. Fundamentals of Aquatic Toxicology, Second Edition, ed. G.M. Rand, pp. 1125, Taylor & Francis Publishers, Washington, DC.

Schlekat, C.E., B.L. McGee, E. Boward, E. Reinharz, D.J. Velinsky, and T.L. Wade. 1994. Tidal river sediments in the Washington, D.C. area. III. Biological effects associated with sediment contamination. *Estuaries* 17:334-344.

Science Advisory Board. 1992. An SAB Report: Review of Sediment Criteria Development Methodology for Non-ionic Organic Contaminants. Prepared by the Sediment Quality Subcommittee of the Ecological Processes and Effects Committee. EPA-SAB-EPEC-93-002. EPA Science Advisory Board, Washington, DC.

Science Advisory Board. 1996. An SAB Report: Review of the Agency's Approach for Developing Sediment Criteria for Five Metals. Prepared by the Sediment Quality Criteria Subcommittee of the Ecological Processes and Effects Committee. EPA-SAB-EPEC-95-020. EPA Science Advisory Board, Washington, DC.

Science Advisory Board. 2000. An SAB Report: Review of an *Integrated approach to metals assessment in surface waters and sediments*. EPA-SAB-EPEC-00-005. U.S. Environmental Protection Agency, Science Advisory Board. EPA Science Advisory Board, Washington, DC

Swartz, R.C., D.W. Schults, R.J. Ozretich, J.O. Lamberson, F.A. Cole, T.H. DeWitt, M.S. Redmonds, and S.P. Ferraro. 1995. ΣPAH: A model to predict the toxicity of polynuclear aromatic hydrocarbon mixtures in field-collected sediments. *Environ. Toxicol. Chem.* 14(11):1977-1987.

Swartz, RC, 1999. Consensus sediment quality guidelines for polycyclic aromatic hydrocarbon mixtures. *Environ. Toxicol. Chem.* 18(4):780-787.

USACE. 1995. Draft environmental impact statement (EIS): Indiana Harbor and Canal dredging and confined disposal facility, construction and operation, comprehensive management plan, East Chicago, Lake County, IN. EIS No. 950489. U.S. Army Corps of Engineers.

USEPA. 1992. Proceedings of EPA's contaminated sediment management forums, Chicago, IL, April 21-22; Washington, DC, May 27-28 and June 16, 1992. EPA 823-R-92-007. U.S. Environmental Protection Agency, Washington, DC.

USEPA. 1993a. Guidelines for deriving site-specific sediment quality criteria for the protection of benthic organisms. EPA-822-R-93-017. U.S. Environmental Protection Agency, Office of Science and Technology, Health and Ecological Criteria Division, Washington, DC.

USEPA. 1993b. Technical basis for establishing sediment quality criteria for nonionic organic contaminants for the protection of benthic organisms by using equilibrium partitioning. Draft. EPA 822-R-93-011. U.S. Environmental Protection Agency, Office of Science and Technology, Health and Ecological Criteria Division, Washington, DC.

USEPA. 1994a. *Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with estuarine and marine amphipods*. EPA 600/R-94/025. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.

USEPA. 1994b. *Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates*. EPA 600/R-94/024. U.S. Environmental Protection Agency, Office of Research and Development, Duluth, MN.

USEPA. 1997. *The incidence and severity of sediment contamination in surface waters of the United States*. Vol. 1. *National sediment quality survey*. EPA 823-R-97-006. U.S. Environmental Protection Agency, Office of Science and Technology, Washington, DC.

USEPA. 1998. *EPA's contaminated sediment management strategy*. 823-R-98-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2000a. *Realizing remediation II: An updated summary of contaminated sediment remediation activities at Great Lakes Areas of Concern*. July 2000. Great Lakes National Program Office, Chicago, IL.

USEPA. 2000b. *Technical basis for the derivation of equilibrium partitioning sediment guidelines (ESGs) for the protection of benthic organisms: Nonionic organics*. U.S. Environmental Protection Agency, Office of Science and Technology and Office of Research and Development, Washington, DC. (2000 draft).

USEPA. 2000c. *Methods for measuring the toxicity and bioaccumulation of sediment-associated contaminants with freshwater invertebrates*. EPA-600-R-99-064. U.S. Environmental Protection Agency, Office of Water, Office of Research and Development, Washington, DC.

USEPA. 2000d. *Stressor identification guidance document*. EPA/822/B-00/025. U.S. Environmental Protection Agency, Office of Water, Washington, DC.

USEPA. 2000e. *Deposition of Air Pollutants to the Great Waters, Third Report to Congress*. EPA-453/R-00-005, June 2000. US Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC.

USEPA. 2001a. *Principles for managing contaminated sediment risks at hazardous waste sites*. U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response Directive 9285.6-08. (In prep).

USEPA. 2001b. *Methods for the Collection, Storage and Manipulation of Sediments for Chemical and Toxicological Analysis*. EPA/823/B/01/002. U.S. Environmental Protection Agency, Office of Water, Office of Research and Development, Washington, DC.

USEPA. 2002. *Clean water action plan: National coastal condition report*. EPA-620-R-00-004. U.S. Environmental Protection Agency, Office of Water, Office of Research and Development, Washington, DC.

USEPA and USACE. 1994. *Evaluation of dredged material proposed for discharge in waters of the U.S.—Testing manual (draft)*. EPA-823-B-94-002. U.S. Environmental Protection Agency, Office of Water, and U.S. Army Corps of Engineers, Washington, DC.

Van Metre, P.C., E. Callender, and C.C. Fuller. 1997. Historical trends in organochlorine compounds in river basins identified using sediment cores from reservoirs. *Environ. Sci. Technol.* 31(8):2339-2344.

- Van Metre, P.C., and E. Callender. 1997. Water-quality trends in White Rock Creek Basin from 1912-94 identified using sediment cores from White Rock Lake reservoir, Dallas, Texas. *J. Paleolimnol.* 17:239-249.
- Van Metre, P.C., J.T. Wilson, E. Callender, and C.C. Fuller. 1998. Similar rates of decrease of persistent, hydrophobic and particle-reactive contaminants in riverine systems. *Environ. Sci. Technol.* 32:3312-3317.
- Van Metre, P.C., B.J. Mahler, and E.T. Furlong. 2000. Urban sprawl leaves its signature. *Environ. Sci. Technol.* 34(19):4064-4070.
- Van Metre, P.C., and B.J. Mahler. 2001. A shift in the sources of sediment contamination in U.S. waters: PAH increases as organochlorine compounds and trace elements decline. (In prep.).
- Van Veld, P.A., D.J. Westbrook, B.R. Woodin, R.C. Hale, C.L. Smith, R.J. Hugget, and J.J. Stegman. 1990. Induced cytochrome P-450 in intestine and liver of spot (*Leiostomus xanthurus*) from a polycyclic aromatic contaminated environment. *Aquat. Toxicol.* 17:119-132.
- Zarull, M.A., J.H. Hartug, and L. Maynard. 1999. Ecological benefits of contaminated sediment remediation in the Great Lakes Basin. Sediment Priority Action Committee, Great Lakes Water Quality Board, International Joint Commission.
- Zhuang, Y., H.E. Allen, and G. Fu. 1994. Effect of aeration of sediment on cadmium binding. *Environ. Toxicol. Chem.* 13(5):717-724.